

**Safety Data Sheet**  
acc. to OSHA HCS

Printing Date 02/16/2017

Revision Number 6

Revision Date 02/16/2017

**1 Identification**

- **Product identifier**
- **Trade name:** WS-8020 Class B-2, B-4 Part A
- **Relevant identified uses of the substance or mixture.** Activator
- **Application of the substance / the mixture** Activator
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Royal Adhesives & Sealants  
800 E. Anaheim Street  
Wilmington. CA 90744  
(310) 830-9904
- **Information department:** Environment protection department.
- **Emergency telephone number:**  
ChemTrec: Day or Night within USA and Canada: 1-800-424-9300.  
Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

**2 Hazard(s) identification**

- **Classification of the substance or mixture**



- |                   |   |
|-------------------|---|
| Acute Tox. 4      | H302 Harmful if swallowed.                              |
| Eye Irrit. 2A     | H319 Causes serious eye irritation.                     |
| Skin Sens. 1      | H317 May cause an allergic skin reaction.               |
| STOT SE 3         | H335 May cause respiratory irritation.                  |
| -----             |   |
| Aquatic Acute 3   | H402 Harmful to aquatic life.                           |
| Aquatic Chronic 3 | H412 Harmful to aquatic life with long lasting effects. |

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



- **Signal word** Warning
- **Hazard statements**  
Harmful if swallowed.  
Causes serious eye irritation.  
May cause an allergic skin reaction.  
May cause respiratory irritation.  
Harmful to aquatic life.  
Harmful to aquatic life with long lasting effects.

(Contd. on page 2)

# Safety Data Sheet

## acc. to OSHA HCS

Printing Date 02/16/2017

Revision Number 6

Revision Date 02/16/2017

**Trade name: WS-8020 Class B-2, B-4 Part A**

(Contd. of page 1)

**· Precautionary statements**

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves / eye protection / face protection.

Avoid release to the environment.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing must not be allowed out of the workplace.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Specific treatment (see on this label).

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Wash contaminated clothing before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Rinse mouth.

IF ON SKIN: Wash with plenty of water.

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents/container in accordance with local/regional/national/international regulations.

**· Classification system:**
**· NFPA ratings (scale 0 - 4)**


Health = 2

Fire = 1

Reactivity = 0

**· HMIS-ratings (scale 0 - 4)**

HEALTH	2
FIRE	1
PHYSICAL HAZARD	0

Health = \*2

Fire = 1

Physical Hazard = 0

**· Other hazards**
**· Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

### \* 3 Composition/information on ingredients

**· Chemical characterization: Mixtures**

· **Description:** Mixture: consisting of the following components.

**· Hazardous components:**

1313-13-9	manganese dioxide	50-100%
61788-32-7	Hydrogenated Terphenyl	25-50%
102-06-7	1,3-diphenylguanidine	2.5-10%
26140-60-3	Terphenyl	≤2.5%
557-05-1	zinc distearate, pure	≤2.5%

USA

(Contd. on page 3)

# Safety Data Sheet

## acc. to OSHA HCS

Printing Date 02/16/2017

Revision Number 6

Revision Date 02/16/2017

Trade name: WS-8020 Class B-2, B-4 Part A

(Contd. of page 2)

### 4 First-aid measures

- **Description of first aid measures**
- **After inhalation:**  
Supply fresh air or oxygen; call for doctor.  
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:**  
Immediately call a doctor.  
Seek medical treatment.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray.  
Use fire fighting measures that suit the environment.
- **Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose of contaminated material as waste in accordance with federal state and local regulations.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### 7 Handling and storage

- **Handling:**
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location away from direct heat.
- **Information about storage in one common storage facility:** Store away from oxidizing agents.
- **Further information about storage conditions:** Store in cool, dry conditions in well sealed receptacles.

(Contd. on page 4)

USA

# Safety Data Sheet

## acc. to OSHA HCS

Printing Date 02/16/2017

Revision Number 6

Revision Date 02/16/2017

**Trade name: WS-8020 Class B-2, B-4 Part A**

(Contd. of page 3)

· **Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

· **Additional information about design of technical systems:** No further data; see item 7.

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

#### 61788-32-7 Hydrogenated Terphenyl

REL Long-term value: 5 mg/m<sup>3</sup>, 0.5 ppm

TLV Long-term value: 4.9 mg/m<sup>3</sup>, 0.5 ppm  
nonirradiated

#### 26140-60-3 Terphenyl

STEL Short-term value: C 5 mg/m<sup>3</sup>

#### 557-05-1 zinc distearate, pure

PEL Long-term value: 15\* 5\*\* mg/m<sup>3</sup>  
\*total dust \*\*respirable fraction

REL Long-term value: 10\* 5\*\* mg/m<sup>3</sup>  
\*total dust \*\*respirable fraction

TLV Long-term value: 10 mg/m<sup>3</sup>

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment (see listings below)**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

· **Breathing equipment:** Not necessary if room is well-ventilated.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· **Material of gloves**

Nitrile rubber, NBR

Chloroprene rubber, CR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:** Safety glasses with side shields.

· **Body protection:** Protective work clothing

USA

(Contd. on page 5)

# Safety Data Sheet

## acc. to OSHA HCS

Printing Date 02/16/2017

Revision Number 6

Revision Date 02/16/2017

Trade name: WS-8020 Class B-2, B-4 Part A

(Contd. of page 4)

### 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

**Form:** Paste

**Color:** Black

· **Odor:** Mild

· **Odor threshold:** Not determined.

· **Change in condition**

**Melting point:** Undetermined.

· **Boiling point:** > 150 °C (> 302 °F)

· **Flash point:** > 150 °C (> 302 °F)

· **Ignition temperature:** 373 °C (703 °F)

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Flammable limits:**

**Lower:** Not determined

**Upper:** Not determined

· **Specific gravity at 20 °C (68 °F):** 1.76

· **Relative density** Not determined.

· **Vapor density** Not determined.

· **Evaporation rate** Not determined.

· **Solubility in / Miscibility with**

**Water:** Not miscible or difficult to mix.

· **Viscosity:**

**Dynamic:** Not determined.

**Kinematic:** Not determined.

· **Solvent content:**

**VOC (Per EPA 24)** Not Available GMS/L

**Solids content:** Not available

· **Other information** VOC 2.4 g/l [less water. less exempts]

### 10 Stability and reactivity

· **Reactivity** No further relevant information available.

· **Chemical stability**

· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

· **Possibility of hazardous reactions** No dangerous reactions known.

· **Conditions to avoid** No further relevant information available.

· **Incompatible materials:** Reacts with oxidizing agents.

· **Hazardous decomposition products:** Hydrogen chloride (HCl)

USA

(Contd. on page 6)

# Safety Data Sheet

## acc. to OSHA HCS

Printing Date 02/16/2017

Revision Number 6

Revision Date 02/16/2017

Trade name: WS-8020 Class B-2, B-4 Part A

(Contd. of page 5)

### 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

#### 1313-13-9 manganese dioxide

Oral	LD50	40 mg/kg (mouse) =>1490 mg/kg (rat)
------	------	--

#### 61788-32-7 Hydrogenated Terphenyl

Oral	LD50	>12500 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rabbit)
Inhalative	LC50/4 h	>4.7 mg/l (rat)

- **Primary irritant effect:**
- **on the skin:** May irritate the skin.
- **on the eye:** Irritating effect.
- **Sensitization:** Skin Contact - Sensitization possible through skin contact.
- **Additional toxicological information:**  
The product shows the following dangers according to internally approved calculation methods for preparations:  
Irritant  
Harmful

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

### 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Harmful to fish
- **Additional ecological information:**
- **General notes:** At present there are no ecotoxicological assessments.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

USA

(Contd. on page 7)

# Safety Data Sheet

## acc. to OSHA HCS

Printing Date 02/16/2017

Revision Number 6

Revision Date 02/16/2017

Trade name: WS-8020 Class B-2, B-4 Part A

(Contd. of page 6)

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:** Must be specially treated adhering to official regulations.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

- |  |   |
|--|---|
| · <b>UN-Number</b>   |   |
| · <b>DOT, ADN, IMDG, IATA</b>  | <i>not regulated</i>  |
| · <b>UN proper shipping name</b>   |   |
| · <b>DOT, ADN, IMDG, IATA</b>  | <i>not regulated</i>  |
| · <b>Transport hazard class(es)</b>  |   |
| · <b>DOT, ADN</b>  |   |
| · <b>Class</b>   | <i>not regulated</i>  |
| · <b>IMDG, IATA</b>  |   |
| · <b>Class</b>   | <i>not regulated</i><br><i>Not Regulated</i>                |
| · <b>Packing group</b>   |   |
| · <b>DOT, IMDG, IATA</b>   | <i>not regulated</i>  |
| · <b>Environmental hazards:</b>  | <i>Not applicable.</i>                                      |
| · <b>Special precautions for user</b>  | <i>Not applicable.</i>                                      |
| · <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b> | <i>Not applicable.</i>                                      |
| · <b>Transport/Additional information:</b>                                       | <i>Not dangerous according to the above specifications.</i> |
| · <b>UN "Model Regulation":</b>  | <i>not regulated</i>  |

### 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

· **Section 355 (extremely hazardous substances):**

*None of the ingredients is listed.*

· **Section 313 (Specific toxic chemical listings):**

557-05-1 | zinc distearate, pure

· **TSCA (Toxic Substances Control Act):**

*All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.*

· **Proposition 65**

· **Chemicals known to cause cancer:**

*None of the ingredients is listed.*

(Contd. on page 8)

# Safety Data Sheet

## acc. to OSHA HCS

Printing Date 02/16/2017

Revision Number 6

Revision Date 02/16/2017

**Trade name: WS-8020 Class B-2, B-4 Part A**

(Contd. of page 7)

**· Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

**· Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

**· Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

**· (DSL) Canada Domestic Substance List**

All components of this product are on the DSL(Canada Domestic Substance list) or are exempt from DSL requirements.

**· New Jersey Right-to-Know List:**

26140-60-3 Terphenyl

557-05-1 zinc distearate, pure

**· New Jersey Special Hazardous Substance List:**

None of the ingredients is listed.

**· Pennsylvania Right-to-Know List:**

26140-60-3 Terphenyl

557-05-1 zinc distearate, pure

**· Pennsylvania Special Hazardous Substance List:**

557-05-1 zinc distearate, pure

E

**· Cancerogenity categories**
**· EPA (Environmental Protection Agency)**

1313-13-9 manganese dioxide

D

557-05-1 zinc distearate, pure

D, I, II

**· TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients listed.

**· MAK (German Maximum Workplace Concentration)**

None of the ingredients is listed.

**· NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

**· National regulations:**

· **Water hazard class:** Water hazard class 2 (Self-assessment): hazardous for water.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

Although the information and recommendations set forth in this SDS are presented in good faith and are believed to be correct as of the date of this SDS, Royal Adhesives & Sealants makes no representations as to the completeness or accuracy thereof. Information is supplied on the condition that the persons receiving and using it will make their own determination as to the suitability for their purpose prior to use. In no event will Royal Adhesives & Sealants or any affiliate thereof be responsible for damages of any nature whatsoever resulting from the use or reliance on the information set forth in the SDS.

· **Department issuing SDS:** Environment protection department.

· **Creation Date:** 02/16/2017

· **Date of preparation / last revision** 02/16/2017 / 5

(Contd. on page 9)

USA



# Safety Data Sheet

## acc. to OSHA HCS

Printing Date 02/16/2017

Revision Number 6

Revision Date 02/16/2017

**Trade name: WS-8020 Class B-2, B-4 Part A**

(Contd. of page 8)

**· Abbreviations and acronyms:**

*RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)*

*ICAO: International Civil Aviation Organisation*

*IMDG: International Maritime Code for Dangerous Goods*

*DOT: US Department of Transportation*

*IATA: International Air Transport Association*

*ACGIH: American Conference of Governmental Industrial Hygienists*

*EINECS: European Inventory of Existing Commercial Chemical Substances*

*ELINCS: European List of Notified Chemical Substances*

*CAS: Chemical Abstracts Service (division of the American Chemical Society)*

*NFPA: National Fire Protection Association (USA)*

*HMIS: Hazardous Materials Identification System (USA)*

*LC50: Lethal concentration, 50 percent*

*LD50: Lethal dose, 50 percent*

*PBT: Persistent, Bioaccumulative and Toxic*

*vPvB: very Persistent and very Bioaccumulative*

*NIOSH: National Institute for Occupational Safety*

*OSHA: Occupational Safety & Health*

*TLV: Threshold Limit Value*

*PEL: Permissible Exposure Limit*

*REL: Recommended Exposure Limit*

*Acute Tox. 4: Acute toxicity – Category 4*

*Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A*

*Skin Sens. 1: Skin sensitisation – Category 1*

*STOT SE 3: Specific target organ toxicity (single exposure) – Category 3*

*Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard – Category 3*

*Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3*

USA

**Safety Data Sheet**  
acc. to OSHA HCS

Printing Date 01/17/2017

Revision Number 4

Revision Date 01/17/2017

**1 Identification**

- **Product identifier**
- **Trade name:** WS-8020 Class B-2, B-4 Part B
- **Relevant identified uses of the substance or mixture.** Sealant
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Royal Adhesives & Sealants  
800 E. Anaheim Street  
Wilmington, CA 90744  
(310) 830-9904
- **Information department:** Environment protection department.
- **Emergency telephone number:**  
ChemTrec: Day or Night within USA and Canada: 1-800-424-9300.  
Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

**2 Hazard(s) identification**

- **Classification of the substance or mixture**



GHS09 Environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS09

- **Signal word** Void
- **Hazard statements**  
Toxic to aquatic life with long lasting effects.
- **Precautionary statements**  
Avoid release to the environment.  
Collect spillage.  
Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



Health = 1  
Fire = 0  
Reactivity = 0

(Contd. on page 2)

# Safety Data Sheet

## acc. to OSHA HCS

Printing Date 01/17/2017

Revision Number 4

Revision Date 01/17/2017

**Trade name: WS-8020 Class B-2, B-4 Part B**

(Contd. of page 1)

· **HMIS-ratings (scale 0 - 4)**

HEALTH	1	Health = 1
FIRE	0	Fire = 0
PHYSICAL HAZARD	0	Physical Hazard = 0

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description: Mixture**

· **Hazardous components:**

68611-50-7	Polysulphide Polymer	25-50%
	proprietary modified polysulphide polymer	25-50%
13463-67-7	titanium dioxide	2.5-10%
108-95-2	phenol	≤0.5%
95-48-7	o-cresol	≤0.09%
50-00-0	formaldehyde	≤0.03%

### 4 First-aid measures

- **Description of first aid measures**
- **After inhalation:**  
Supply fresh air or oxygen; call for doctor.  
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** Seek medical treatment.
- **Information for doctor:**  
· **Most important symptoms and effects, both acute and delayed** No further relevant information available.  
· **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.  
Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** Protective clothing and respiratory protective device.

USA

(Contd. on page 3)

# Safety Data Sheet

## acc. to OSHA HCS

Printing Date 01/17/2017

Revision Number 4

Revision Date 01/17/2017

**Trade name: WS-8020 Class B-2, B-4 Part B**

(Contd. of page 2)

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

- **Environmental precautions: Do not allow to enter sewers/ surface or ground water.**

- **Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste in accordance with federal state and local regulations.

Ensure adequate ventilation.

- **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

- **Handling:**

- **Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- **Information about protection against explosions and fires: No special measures required.**

- **Conditions for safe storage, including any incompatibilities**

- **Storage:**

**Requirements to be met by storerooms and receptacles:** Store in a cool location away from direct heat.

**Information about storage in one common storage facility:** Store away from oxidizing agents.

**Further information about storage conditions:** Keep receptacle tightly sealed.

**Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

**Additional information about design of technical systems:** No further data; see item 7.

- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

#### 13463-67-7 titanium dioxide

PEL Long-term value: 15\* mg/m<sup>3</sup>

\*total dust

REL See Pocket Guide App. A

TLV Long-term value: 10 mg/m<sup>3</sup>  
withdrawn from NIC

#### 108-95-2 phenol

PEL Long-term value: 19 mg/m<sup>3</sup>, 5 ppm

Skin

(Contd. on page 4)

USA

# Safety Data Sheet

acc. to OSHA HCS

Printing Date 01/17/2017

Revision Number 4

Revision Date 01/17/2017

**Trade name: WS-8020 Class B-2, B-4 Part B**

(Contd. of page 3)

**REL** Long-term value: 19 mg/m<sup>3</sup>, 5 ppm  
Ceiling limit value: 60\* mg/m<sup>3</sup>, 15.6\* ppm  
\*15-min; Skin

**TLV** Long-term value: 19 mg/m<sup>3</sup>, 5 ppm  
Skin; BEI

**95-48-7 o-cresol**

**PEL** Long-term value: 22 mg/m<sup>3</sup>, 5 ppm  
Skin

**REL** Long-term value: 10 mg/m<sup>3</sup>, 2.3 ppm

**TLV** Long-term value: 20\* mg/m<sup>3</sup>  
Skin; \*as inhalable fraction and vapor

**50-00-0 formaldehyde**

**PEL** Short-term value: 2 ppm  
Long-term value: 0.75 ppm  
see 29 CFR 1910.1048(c)

**REL** Long-term value: 0.016 ppm  
Ceiling limit value: 0.1\* ppm  
\*15-min; See Pocket Guide App. A

**TLV** Short-term value: NIC-0.37 mg/m<sup>3</sup>, NIC-0.3 ppm  
Long-term value: NIC-0.12 mg/m<sup>3</sup>, NIC-0.1 ppm  
Ceiling limit value: (0.37) mg/m<sup>3</sup>, (0.3) ppm  
NIC-A1; DSEN; RSEN

**· Ingredients with biological limit values:**

**108-95-2 phenol**

**BEI** 250 mg/g creatinine  
Medium: urine  
Time: end of shift  
Parameter: Phenol with hydrolysis (background, nonspecific)

· **Additional information:** The lists that were valid during the creation were used as basis.

- **Exposure controls**
- **Personal protective equipment (see listings below)**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Wash hands before breaks and at the end of work.
- **Breathing equipment:** Not necessary if room is well-ventilated.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· **Material of gloves**

Nitrile rubber, NBR

Chloroprene rubber, CR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

USA

# Safety Data Sheet

## acc. to OSHA HCS

Printing Date 01/17/2017

Revision Number 4

Revision Date 01/17/2017

**Trade name: WS-8020 Class B-2, B-4 Part B**

(Contd. of page 4)

- **Eye protection:** Safety glasses with side shields.
- **Body protection:** Protective work clothing

### 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· <b>Form:</b>	Paste
· <b>Color:</b>	Whitish
· <b>Odor:</b>	Characteristic
· <b>Odor threshold:</b>	Not determined.

· **pH-value:** Not determined.

· **Change in condition**

· **Melting point:** Undetermined.

· **Boiling point:** > 100 °C (> 212 °F)

· **Flammability (solid, gaseous):** Not applicable.

· **Ignition temperature:**

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Flammable limits:**

· <b>Lower:</b>	Not determined
· <b>Upper:</b>	Not determined

· **Vapor pressure:** Not determined.

· **Specific gravity at 20 °C (68 °F):** 1.51

· **Relative density** Not determined.

· **Vapor density** Not determined.

· **Evaporation rate** Not determined.

· **Solubility in / Miscibility with**

· **Water:** Not miscible or difficult to mix.

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity:**

· <b>Dynamic:</b>	Not determined.
· <b>Kinematic:</b>	Not determined.

· **Solvent content:**

· **VOC (Per EPA 24)** not available GMS/L

· **Solids content:** Not available

· **Other information** Grams VOC/Liter [less water. less exempts] 0.0

### 10 Stability and reactivity

- **Reactivity** No further relevant information available.

(Contd. on page 6)

# Safety Data Sheet

## acc. to OSHA HCS

Printing Date 01/17/2017

Revision Number 4

Revision Date 01/17/2017

**Trade name: WS-8020 Class B-2, B-4 Part B**

(Contd. of page 5)

- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** Avoid high temperatures. Avoid freezing.
- **Incompatible materials:** Reacts with strong oxidizing agents.
- **Hazardous decomposition products:**  
Carbon Dioxide and Carbon Monoxide. Oxides of Sulphur. Trace amounts of Formaldehyde, Phenol, Hydrogen Sulphide.

### 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** May irritate the skin.
- **on the eye:** May irritate the eye.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

13463-67-7	titanium dioxide	2B
108-95-2	phenol	3
50-00-0	formaldehyde	1

- **NTP (National Toxicology Program)**

50-00-0	formaldehyde	K
---------	--------------	---

- **OSHA-Ca (Occupational Safety & Health Administration)**

50-00-0	formaldehyde	
---------	--------------	--

### 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Toxic for fish
- **Additional ecological information:**
- **General notes:** At present there are no ecotoxicological assessments.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

USA

(Contd. on page 7)

# Safety Data Sheet

## acc. to OSHA HCS

Printing Date 01/17/2017

Revision Number 4

Revision Date 01/17/2017

Trade name: WS-8020 Class B-2, B-4 Part B

(Contd. of page 6)

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:** Must be specially treated adhering to official regulations.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

- **UN-Number**
- **DOT, ADN, IMDG, IATA** not regulated
- **UN proper shipping name**
- **DOT, ADN, IMDG, IATA** not regulated
- **Transport hazard class(es)**
- **DOT, ADN, IMDG, IATA**
- **Class** not regulated
- **Packing group**
- **DOT, IMDG, IATA** not regulated
- **Environmental hazards:** Not applicable.
- **Special precautions for user** Not applicable.
- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.
- **UN "Model Regulation":** not regulated

### 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

#### · Section 355 (extremely hazardous substances):

108-95-2	phenol
95-48-7	o-cresol
50-00-0	formaldehyde

#### · Section 313 (Specific toxic chemical listings):

108-95-2	phenol
95-48-7	o-cresol
50-00-0	formaldehyde

#### · TSCA (Toxic Substances Control Act):

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.

#### · Proposition 65

#### · Chemicals known to cause cancer:

50-00-0	formaldehyde
---------	--------------

(Contd. on page 8)



# Safety Data Sheet

acc. to OSHA HCS

Printing Date 01/17/2017

Revision Number 4

Revision Date 01/17/2017

**Trade name: WS-8020 Class B-2, B-4 Part B**

(Contd. of page 7)

**· Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

**· Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

**· Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

**· (DSL) Canada Domestic Substance List**

All components of this product are on the DSL(Canada Domestic Substance list) or are exempt from DSL requirements.

**· New Jersey Right-to-Know List:**

68611-50-7	Polysulphide Polymer	
	proprietary modified polysulphide polymer	
13463-67-7	titanium dioxide	
108-95-2	phenol	
95-48-7	o-cresol	
50-00-0	formaldehyde	

**· New Jersey Special Hazardous Substance List:**

108-95-2	phenol	MU, F2
95-48-7	o-cresol	CA, F2
50-00-0	formaldehyde	CA, CO, MU, F4

**· Pennsylvania Right-to-Know List:**

68611-50-7	Polysulphide Polymer	
	proprietary modified polysulphide polymer	
13463-67-7	titanium dioxide	
108-95-2	phenol	
95-48-7	o-cresol	
50-00-0	formaldehyde	

**· Pennsylvania Special Hazardous Substance List:**

108-95-2	phenol	E
95-48-7	o-cresol	E
50-00-0	formaldehyde	ES

**· Cancerogenity categories**
**· EPA (Environmental Protection Agency)**

108-95-2	phenol	D, I
95-48-7	o-cresol	C
50-00-0	formaldehyde	B1

**· TLV (Threshold Limit Value established by ACGIH)**

13463-67-7	titanium dioxide	A4
108-95-2	phenol	A4
50-00-0	formaldehyde	A2

**· MAK (German Maximum Workplace Concentration)**

13463-67-7	titanium dioxide	3A
108-95-2	phenol	3B

(Contd. on page 9)

# Safety Data Sheet

acc. to OSHA HCS

Printing Date 01/17/2017

Revision Number 4

Revision Date 01/17/2017

**Trade name: WS-8020 Class B-2, B-4 Part B**

(Contd. of page 8)

95-48-7	<i>o</i> -cresol	3A
50-00-0	formaldehyde	4

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

13463-67-7	titanium dioxide
50-00-0	formaldehyde

· **National regulations:**

- **Water hazard class:** Water hazard class 3 (Self-assessment): extremely hazardous for water.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

Although the information and recommendations set forth in this SDS are presented in good faith and are believed to be correct as of the date of this SDS, Royal Adhesives & Sealants makes no representations as to the completeness or accuracy thereof. Information is supplied on the condition that the persons receiving and using it will make their own determination as to the suitability for their purpose prior to use. In no event will Royal Adhesives & Sealants or any affiliate thereof be responsible for damages of any nature whatsoever resulting from the use or reliance on the information set forth in the SDS.

- **Department issuing SDS:** Environment protection department.
- **Creation Date:** 01/17/2017
- **Date of preparation / last revision** 01/17/2017 / 3

· **Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods  
 DOT: US Department of Transportation  
 IATA: International Air Transport Association  
 ACGIH: American Conference of Governmental Industrial Hygienists  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 NFPA: National Fire Protection Association (USA)  
 HMIS: Hazardous Materials Identification System (USA)  
 PBT: Persistent, Bioaccumulative and Toxic  
 vPvB: very Persistent and very Bioaccumulative  
 NIOSH: National Institute for Occupational Safety  
 OSHA: Occupational Safety & Health  
 TLV: Threshold Limit Value  
 PEL: Permissible Exposure Limit  
 REL: Recommended Exposure Limit  
 BEI: Biological Exposure Limit  
 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

USA